



   	 	  	 4-8m 8-12m 12-15m 15m<	1740W	220-400V 50/60Hz	IP	IK	IP	IK	IK
						GEAR	GEAR	OPT	PC	GLASS
						66	08	66	10	09




Copyright © Schröder SA, 2024 - Executive Publisher: Stéphane Halleux - B-4000 Liège, Rue de Mons 3 (Belgium) - The information, descriptions and illustrations herein are only of an indicative nature and subject to changes without notice.

B - GEARBLAST – DRIVER OVERVIEW




For driver information and installation, please see **GEARBLAST** installation sheet!

C - LAYOUT AND MOUNTING




OPTION	MOUNTING	BOLTS
1	ROTATABLE	1 x M20 + 1 x M10 middle
2	FIX	2 x M20
3	FIX	3 x M20

D - DRIVER CONNECTION



CLAMPING RANGE: 9-17MM



Connections inside Junction box






2a

DALI

2b

DMX



IN	CONTACT	OUT
LED+	1	OB1 - PCBA1+
	2	OB1 - PCBA1- OB1 - PCBA2+
LED-	3	OB1 - PCBA2-
LED+	4	OB2 - PCBA1+
	5	OB2 - PCBA1- OB2 - PCBA2+
LED-	6	OB2 - PCBA2-
LED+	7	OB3 - PCBA1+
	8	OB3 - PCBA1- OB3 - PCBA2+
LED-	9	OB3 - PCBA2-
GND	GND	GND
GND	GND	GND

2
CONTROL
harness to
optical blocks




RECOMMENDED EU / US
CABLE TYPE **H07RNF / SOOW**
7G1.5mm² (<100m) / 7G-AWG16
7G2.5mm² (<200m) / 7G-AWG14

INTERCONNECTION CABLE IS AN OPTIONAL ACCESSORY, NOT ALWAYS INCLUDED!





**FOR GEARBLAST ELECTRICAL
CONNECTION DETAILS,
PLEASE SEE GEARBLAST
INSTALLATION SHEET!**

E - DRIVER CONNECTION - LF4



CLAMPING RANGE: 9-17MM




Connections inside Junction box

IN	CONTACT	OUT
LED+	1	OB1 - PCBA+
LED-	2	OB1 - PCBA-
LED+	3	OB2 - PCBA+
LED-	4	OB2 - PCBA-
LED+	5	OB3 - PCBA+
LED-	6	OB3 - PCBA-
GND	GND	GND
GND	GND	GND

1
~
AC
⊕

2a
DALI

2b
DMX



2
CONTROL
harness to
optical blocks

1
~
AC


RECOMMENDED EU / US
CABLE TYPE **H07RNF / SOOW**
7G1.5mm² (<100m) / 7G-AWG16
7G2.5mm² (<200m) / 7G-AWG14

INTERCONNECTION CABLE IS AN OPTIONAL ACCESSORY, NOT ALWAYS INCLUDED!



**FOR GEARBLAST ELECTRICAL
CONNECTION DETAILS,
PLEASE SEE GEARBLAST
INSTALLATION SHEET!**

F - ANGLE ADJUSTMENT



G - SAFETY CABLE

